

PULSE JET VALVE: OMC



OMC-Z

Pulse Jet Valves are right-angle valves, outlet at 90° to inlet with threaded connections which are particularly designed for dust collector service applications for reverse pulse jet filter cleaning.



OMC-ZM

Pulse Jet Valves are right-angle valves, Outlet at 90° to inlet with dresser nut ports which are particularly designed for dust collector service applications for reverse pulse jet filter cleaning.



OMC-T

Pulse Jet Valves are the straight in valves, with the 180° angle between the inlet and outlet, Which are suitable for the installed connection between the inlet and gas dome, outlet and the

blow tube to provide good air flow and dust clean pulses satisfying the requirements.



OMC-Y

Pulse Jet Valves are embedded valves (also called submerged ones) which are directly installed on the manifold box. They have better flow characteristics and operate with reduced pressure loss, therefore, they are suitable for conditions where the pressure of the gas source is relatively low.

PULSE JET VALVE: GOYEN



High performance diaphragm valve with dresser nut ports. Available with integral pilot or as remotely piloted valve. Outlet at 90° to inlet



High performance diaphragm valve with threaded ports. Available with integral pilot or as remotely piloted valve. Outlet at 90° to inlet



Valve body diameter Available with flanged inlet ports and side seated inlet port



Pressure range 0 to 10 bar (150 psi) or 0 to 16 bar (230 psi) depending on the pipe size and material



2 stage integral solenoid body



single stage integral solenoid body



single stage, 1/2" NPT, 304 threaded body



double stage, 1/2" NPT, 304 threaded body



Aromatic (Thailand) Co., Ltd.

(+66)0-27467261-4

[Contact Us](#)